

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|-------|---|---|---------------------|
| - | 31008 | stylus | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:09 |
| - | 6092 | stylus and retain\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:00 |
| - | 2177 | stylus and retain\$6 and release\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:00 |
| - | 1769 | stylus and retain\$6 and release\$6 and mechani\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:01 |
| - | 650 | stylus and retain\$6 and release\$6 and mechani\$6 and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:01 |
| - | 564 | stylus and retain\$6 and release\$6 and mechanism and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:01 |
| - | 405 | stylus and retain\$6 and release\$6 and mechanism and housing and receive | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:01 |
| - | 5 | stylus and retain\$6 adj slot and release\$6 and mechanism and housing and receive and cavity | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:02 |
| - | 95 | stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:03 |
| - | 82 | stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:03 |
| - | 79 | stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:03 |
| - | 34 | stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/02 15:05 |
| - | 19 | stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:08 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 508 | palm with (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 09:43 |
| - | 2 | palm with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:30 |
| - | 17 | palm with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 09:45 |
| - | 59 | palm with (stylus or pen) and retain\$6 and slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:30 |
| - | 92 | PDA with (stylus or pen) and retain\$6 and slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:30 |
| - | 59 | palm with (stylus or pen) and retain\$6 and slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:30 |
| - | 1 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:31 |
| - | 2 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and terminate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:33 |
| - | 7 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and resilient and force | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:33 |
| - | 9 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:34 |
| - | 22 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 10:43 |
| - | 33 | PDA with (stylus or pen) and slidable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 11:11 |
| - | 1 | ((PDA or pesrsonal adj digital adj assistant) or palm or (portable adj cpmpueter or hand adj held adj cpmpueter)) with (slid\$6 or inset\$6) adj (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 11:08 |
| - | 9 | PDA with (stylus or pen) and slidable and holder | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 11:09 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 9 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 12:13 |
| - | 9 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 12:13 |
| - | 1 | PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and terminate and (resilient and force) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:20 |
| - | 202 | (PDA or hand adj held adj computer or PALM) with housing and slidable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:30 |
| - | 27 | (PDA or hand adj held adj computer or PALM) with housing and slidable and (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:44 |
| - | 1 | data adj capturing adj device with (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:46 |
| - | 11 | touch adj pad and attached adj (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:52 |
| - | 3 | signature adj pad and attached adj (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:59 |
| - | 1 | (POS with credit adj card adj swiper) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:57 |
| - | 2 | POS and credit adj card adj swiper | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:58 |
| - | 182 | signature adj pad | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 13:59 |
| - | 85 | signature adj pad and (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 14:03 |
| - | 3 | signature adj pad and (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 14:04 |
| - | 22 | signature adj pad and (stylus or pen) and retain\$6 and slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 14:19 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 7 | signature adj capture adj pad and (stylus or pen) and retain\$6 and slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 08:24 |
| - | 1 | stylus adj (retaining and releasing) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:09 |
| - | 309 | stylus and (retaining and releasing) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:09 |
| - | 0 | stylus and (retaining and releasing)adj mechanism | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:10 |
| - | 0 | stylus and (retaining and releasing)adj mechan\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:10 |
| - | 231 | stylus and (retaining and releasing)and mechanism | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:10 |
| - | 0 | stylus and (retaining and releasing)and mechanism and suitable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:11 |
| - | 86 | stylus and (retaining and releasing)and mechanism and suit\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:11 |
| - | 83 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:11 |
| - | 42 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:12 |
| - | 34 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and receive | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:12 |
| - | 34 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:13 |
| - | 33 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:13 |
| - | 18 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:13 |

| | | | | |
|---|----|---|---|---------------------|
| - | 11 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:13 |
| - | 11 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:14 |
| - | 10 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:14 |
| - | 5 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:17 |
| - | 0 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and configuration | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:16 |
| - | 0 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and configurat\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:16 |
| - | 0 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:16 |
| - | 0 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6 and eject | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:17 |
| - | 0 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6 and eject\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:18 |
| - | 0 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:18 |
| - | 5 | stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:18 |

| | | | | |
|---|----|--|---|---------------------|
| - | 5 | stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6 and clamp\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:18 |
| - | 5 | stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6 and clamp\$6 and configuration | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:19 |
| - | 7 | stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:34 |
| - | 10 | stylus adj hold\$6 adj housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:36 |
| - | 0 | stylus adj hold\$6 adj housing and (retaining and releasing) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:37 |
| - | 0 | stylus adj hold\$6 adj housing and (holding and releasing) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/04 15:37 |
| - | 11 | stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 07:54 |
| - | 7 | signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (retin\$6 or hold\$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 08:25 |
| - | 7 | signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (retin\$6 or hold\$6) and slid\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 08:25 |
| - | 7 | signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and ((retin\$6 or hold\$6) and slid\$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:17 |
| - | 0 | signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and ((retin\$6 or hold\$6) and (stylus or pen) adj slid\$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:07 |
| - | 0 | signature adj capture adj pad and ((stylus or pen) and (stylus or pen) adj slid\$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:07 |
| - | 0 | signature adj capture adj pad and ((stylus or pen) and (stylus or pen) adj slid\$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:08 |

| | | | | |
|---|----|---|---|---------------------|
| - | 0 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 adj housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:10 |
| - | 0 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and signature adj apd | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:10 |
| - | 0 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and signature adj pad | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:10 |
| - | 11 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and Electronic adj device | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:15 |
| - | 3 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and (PDA or palm) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:15 |
| - | 7 | signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj gorve or track or path) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:33 |
| - | 20 | 5,561,282 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:31 |
| - | 2 | 5,561,282.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:31 |
| - | 1 | 5,561,282.pn. and (stylus and (retin\$6 or hold\$6) and slid\$6 adj gorve or track or path) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:32 |
| - | 0 | 5,561,282.pn. and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:33 |
| - | 0 | signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:33 |
| - | 0 | signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:33 |
| - | 44 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:41 |
| - | 19 | (stylus or pen) and housing and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:35 |

| | | | | |
|---|--------|---|---|---------------------|
| - | 6 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and (stylus and (retain\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:38 |
| - | 0 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and (stylus and (retain\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6)) and electronic adj device | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:39 |
| - | 1 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and electronic adj device | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:40 |
| - | 11 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and electronic adj device | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:40 |
| - | 3 | (stylus or pen) and housing and (stylus or pen) adj slide\$6 and (palm or pda) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 09:42 |
| - | 108311 | PDA or PALM or hand adj held adj electronic adj device | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 10:04 |
| - | 108311 | (PDA or PALM or (hand adj held adj electronic adj device)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 10:06 |
| - | 1862 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 10:06 |
| - | 107 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and push adj button | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 10:07 |
| - | 42 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and push adj button | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 10:08 |
| - | 51 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and eject\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 10:08 |
| - | 25 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and eject\$6 and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 10:08 |
| - | 16 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and groove and eject\$6 and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 11:41 |
| - | 3 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and groove and eject\$6 and housing and polymer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:17 |

| | | | | |
|---|----|--|---|---------------------|
| - | 30 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:18 |
| - | 18 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer and slid\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:18 |
| - | 0 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing adj polymer and slid\$6 and groove | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:19 |
| - | 0 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing adj polymer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:19 |
| - | 7 | (PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer and slid\$6 and groove | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:19 |
| - | 2 | 5,892,824.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:37 |
| - | 0 | 5,892,824.pn. and polymer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:37 |
| - | 0 | 6,200,056.pn. and polymer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:38 |
| - | 0 | 6,700,773.pn. and polymer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:39 |
| - | 0 | 6,193,152.pn. and polymer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/06 12:39 |